



AQUATIC
Informatics



AQUARIUS WebPortal

User Guide (for Non-Administrator Users)

2024.2 | August 2024

Copyright 2024 Aquatic Informatics ULC

Information in this document is subject to change without notice. The software described in this document is furnished under a license agreement or nondisclosure agreement. The software may be used or copied only in accordance with the terms of those agreements. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or any means electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Aquatic Informatics ULC.

Aquatic Informatics ULC
2400 - 1111 West Georgia Street
Vancouver, BC V6E 4M3
www.aquaticinformatics.com
Phone 1.877.546.5699

Contents

| | |
|---|-----------|
| 1 Welcome to AQUARIUS WebPortal | 1 |
| 1.1 About this Guide..... | 1 |
| 1.2 Send Us Your Feedback!..... | 1 |
| 1.3 Thank you for choosing AQUARIUS WebPortal!..... | 1 |
| 2 Get Started | 2 |
| 2.1 Navigating WebPortal..... | 2 |
| 2.1.1 Navigate from Map View to a Data Set..... | 2 |
| 2.1.2 Location Overview..... | 3 |
| 2.1.3 Data Set Overview..... | 3 |
| 2.2 View Data in Maps..... | 7 |
| 2.2.1 Filtering..... | 8 |
| 2.2.2 Applying Legends..... | 10 |
| 2.3 List View..... | 10 |
| 2.3.1 Filtering Grids..... | 10 |
| 2.4 Export your Data..... | 11 |
| 3 Data Mode | 13 |
| 3.1 Data Mode > Map..... | 13 |
| 3.1.1 Map Controls..... | 14 |
| 3.1.2 Search..... | 16 |
| 3.1.3 Scale Bar..... | 16 |
| 3.1.4 Coordinates..... | 17 |
| 3.1.5 Map Scene Controls..... | 17 |
| 3.1.6 Map Options..... | 18 |
| 3.1.7 Legend..... | 18 |
| 3.1.8 Data Set Reference..... | 19 |
| 3.1.9 Heat Maps and Isolines..... | 19 |
| 3.1.10 Layers Selector..... | 20 |
| 3.1.11 Indicators..... | 20 |
| 3.1.12 Pop-up Windows..... | 21 |
| Location Pop-up Windows..... | 21 |
| Data Set Pop-up Windows..... | 21 |

| | |
|---|----|
| Data Set Reference Pop-up Windows | 22 |
| 3.2 Data Mode > List | 23 |
| 3.2.1 Grid Pages: Available Actions | 24 |
| 3.3 Data Mode > Folder | 26 |
| 3.3.1 Summary Tab | 26 |
| 3.3.2 Alerts Tab | 27 |
| 3.4 Data Mode > Location | 27 |
| 3.4.1 Summary Tab | 27 |
| 3.4.2 Alerts Tab | 28 |
| 3.4.3 Files Tab | 29 |
| 3.4.4 Reports Tab | 29 |
| 3.4.5 Dashboard Tabs | 30 |
| 3.5 Data Mode > Data Set | 30 |
| 3.5.1 Summary Tab | 30 |
| 3.5.2 Chart Tab | 31 |
| Interval Filter Options | 32 |
| Info Panel Options | 33 |
| 3.5.3 Grid Tab | 34 |
| 3.5.4 Statistics Tab | 35 |
| 3.5.5 Alerts Tab | 35 |
| 3.5.6 Export Tab | 36 |
| Data Set Export | 37 |
| 3.5.7 Reports Tab | 38 |
| 3.5.8 Dashboard Tabs | 39 |
| 3.6 Data Mode > Chart | 39 |
| 3.6.1 Location Charts | 39 |
| 3.6.2 Chart Series Tab | 39 |
| 3.6.3 Y Axes Tab | 40 |
| About the Inverted Y Axis | 41 |
| 3.6.4 X Axis Tab | 42 |
| 3.6.5 Chart Settings Tab | 43 |
| 3.6.6 Chart Layers Tab | 44 |
| 3.6.7 Save Chart Tab | 45 |
| 3.7 Data Mode > Export | 46 |

| | |
|---|-----------|
| 3.7.1 Available Actions | 46 |
| 3.7.2 Bulk Export Data Sets | 47 |
| Export Data | 47 |
| Data Sets | 48 |
| 3.8 Data Mode > Alerts | 49 |
| 3.9 Data Mode > Reports | 49 |
| 3.9.1 Info Requests | 50 |
| 3.9.2 Reports | 50 |
| 3.10 Data Mode > Dashboards | 50 |
| 4 Account Mode | 52 |
| 4.1 Account Mode > Account Overview | 52 |
| 4.1.1 Additional Actions | 53 |
| 4.2 Account Mode > Manage Account | 53 |
| 4.2.1 Additional Actions | 53 |
| 4.2.2 Link an External Account | 54 |
| 4.3 Account Mode > Account Settings | 54 |
| 4.3.1 Available Actions | 54 |
| 4.4 Account Mode > Account Charts | 55 |
| 4.4.1 Available Actions | 55 |
| 4.5 Account Mode > Account Dashboards | 56 |
| 4.5.1 Available Actions | 56 |
| 4.5.2 Create an Account Dashboard | 56 |
| Create Dashboard | 57 |
| 4.5.3 Configure an Existing Account Dashboard | 59 |
| 4.6 Account Mode > Account Widgets | 60 |
| 4.6.1 Available Actions | 60 |
| 4.6.2 Create an Account Widget | 61 |
| Instructions | 62 |
| Input Variables | 63 |
| Advanced | 63 |
| 4.7 Account Mode > Account Export Templates | 63 |
| 4.7.1 Available Actions | 64 |
| 4.8 Account Mode > Change Password | 64 |

1 Welcome to AQUARIUS WebPortal

AQUARIUS WebPortal is a browser-based information and data presentation system integrating data collection, data storage, reporting, data computation, data management, and real-time information display.

1.1 About this Guide

This is your comprehensive guide to learning and using the AQUARIUS WebPortal system. You'll find topics related to new features, procedural information to help you perform various tasks, as well as technical reference information.

| | |
|--------------|--|
| Document | User Guide (for Non-Administrator Users) |
| Product | AQUARIUS WebPortal |
| Version | 2024.2 |
| Release Date | August 2024 |

This guide is intended for new non-administrator users. To begin learning WebPortal, start by reading the *Get Started* topics to help familiarize yourself with AQUARIUS WebPortal.

1.2 Send Us Your Feedback!

After exploring this user guide, we encourage you to participate in our short [survey](#) to share your thoughts, ask questions, or simply tell us about what would make this documentation easy and efficient for you.

1.3 Thank you for choosing AQUARIUS WebPortal!

Aquatic Informatics ULC is continually improving and extending the capabilities of the AQUARIUS software platform, incorporating feedback from users and responding to changes and trends in environmental science.

We hope your experience with AQUARIUS WebPortal is enjoyable and productive!

2 Get Started


2.1 Navigating WebPortal

The graphics, locations, and other data shown herein are from a generic database. The data in your database will be different, and when selecting elements you need to substitute equivalent elements from your own data where necessary. The exact set of features available to you will also depend on how your system administrator has configured your account permissions or the public account permissions. Some features may not show up on your deployment.


2.1.1 Navigate from Map View to a Data Set

Use the following guidance to help you navigate from the default map view of WebPortal data to specific data sets.

1. Starting on the Map, click **Select Parameter**, then select a parameter from the drop-down list. For example, **Precipitation Incremental**.




2. Click **Select Value**, then select **Last 24h** from the drop-down list. Parameter values displayed on the Map can be changed using this control.
3. Click an indicator to display a pop-up window with more information about the Location and Time-Series.



- Click **Data Set** on the pop-up window, then select the **Grid** tab. This displays the information for that location in tabular format.

2.1.2 Location Overview

To view more details about a Location, select the **Summary** tab, or click **Location** (from a pop-up window). The Location Summary tab displays information about the Location and the list of Data Sets at the Location.



AQUARIUS WebPortal

Search for a Folder: Home Search for a Location: 94580 - Gold Coast Seaway

Summary Alerts Reports Go To Map

Location: 94580

| | |
|----------------------|--|
| Location Name | Gold Coast Seaway |
| Location Type | Meteorology Station |
| Folder | All Locations/Queensland |
| Latitude / Longitude | -27° 53' 59", 153° 24' 0" (WGS 84) |
| Elevation | 33 m |
| Time Zone | UTC+10:00 |
| Description | |
| Active | <input checked="" type="checkbox"/> |
| Tags | No tags are associated with this Location. |

Export last 7 days (CSV) Export all data (CSV)

Data Sets Time Zone: Location Time Zone (UTC+10:00)

| Data Set Id | Parameter | Start of Record | End of Record | Last Updated | Active | Go To |
|-----------------------------|---------------------------|---------------------|---------------------|---------------------|-------------------------------------|----------------|
| Air Temp.Weather Observ... | Air Temperature | 2019-06-10 16:00:00 | 2020-12-15 00:00:00 | 2020-12-15 01:14:31 | <input checked="" type="checkbox"/> | Map Go To |
| Atmos.Pres.Weather Obsa... | Atmospheric Pressure | 2019-06-10 16:00:00 | 2020-12-15 00:00:00 | 2020-12-15 01:14:32 | <input checked="" type="checkbox"/> | Data Set Go To |
| Precip Increm.Weather Ob... | Precipitation Incremental | 2019-10-14 13:30:00 | 2020-12-15 00:00:00 | 2020-12-15 01:14:31 | <input checked="" type="checkbox"/> | Summary Go To |


Items Displayed: 3

2.1.3 Data Set Overview

To view more details about a Data Set , click the **Go To** menu from the Location Summary.

The Data Set Overview tab is itself broken up into a number of tabs:

- The **Summary** tab displays standard information about the Data Set (Parameter, Unit, etc.). The Summary can also display additional details specific to the Data Set (if they exist), for example, Flooding Levels, Operational Bands, Reservoir Spill Levels, and so on.



AQUARIUS WebPortal

Search for a Folder: Folder... Search for a Location: 94580 - Gold Coast Seaway

Select a Data Set: Precip Inccrem.Weather Observations@94580

Navigation: Summary | Chart | Grid | Statistics | Alerts | Export | Reports | Sample Dashboard | Go To Map

Data Set: Precip Inccrem.Weather Observations@94580


| | |
|---------------------|-------------------------------------|
| Location Identifier | 94580 |
| Location Name | Gold Coast Seaway |
| Parameter | Precipitation Incremental |
| Unit | Millimetres |
| Start of Record | 2019-10-14 13:30 (UTC+10:00) |
| End of Record | 2020-12-15 00:00 (UTC+10:00) |
| Last Updated | 2020-12-15 01:14 (UTC+10:00) |
| Description | |
| Comments | |
| Active | <input checked="" type="checkbox"/> |

Export last 7 days (CSV) | Export all Data (CSV)

Metadata Panel:

| | |
|-----------------|------------------------------|
| Location Name | Gold Coast Seaway (Map) |
| Parameter | Precipitation Incremental |
| Unit | Millimetres |
| Start of Record | 2019-10-14 13:30 (UTC+10:00) |
| End of Record | 2020-12-15 00:00 (UTC+10:00) |
| Last Updated | 2020-12-15 01:14 (UTC+10:00) |

- The **Chart** tab creates a simple chart that shows the data over the last 24 hours.



AQUARIUS WebPortal

Search for a Folder: Folder... Search for a Location: 94580 - Gold Coast Seaway

Select a Data Set: Precip Inccrem.Weather Observations@94580 Date: Latest Data

Navigation: Summary | Chart | Grid | Statistics | Alerts | Export | Reports | Sample Dashboard | Go To Map


Chart showing Precipitation Incremental (mm) over time from 2020-12-08 to 2020-12-15. The y-axis ranges from 0 to 200 mm. The x-axis shows dates at 12:00 intervals.

Legend: Precip Inccrem.Weather Observations@94580, Gold Coast Seaway, Precipitation Incremental

Chart Options:

- Edit Chart
- Reset Zoom
- Select Time Zone: Location Time Zone (UTC+10)
- Grade Code:
 - 3 - GAP
 - 2 - UNUSABLE
 - 1 - UNSP
 - 0 - UNDEF

The Charts are fully interactive allowing for zooming and panning by clicking and dragging the mouse. There are Chart display options in the bottom left-side corner. Charts images can be exported through the Export menu. To change the period of record being displayed click **Date**, then **Interval Latest**. You can select one of the pre-set values of Daily, Monthly, or Yearly from the drop-down list. Alternatively you can select Custom to set a custom date range.



The screenshot shows the AQUATIC Informatics interface. At the top, there is a user profile dropdown with the email 'tions@94580' and a 'Date: Latest Data' button with a calendar icon. Below this, a 'Statistics' chart area is visible, with a 'Sample Dashboard' link on the right. A date selection dialog box is open, showing 'Date: 2020-12-15 - 2020-12-16' and 'Interval: Custom'. The dialog also shows a calendar view for December 2020 and January 2021, with the 15th and 16th of December highlighted. At the bottom of the dialog are 'Cancel' and 'Apply' buttons.

- The **Grid** tab displays the same data as the Chart in a Grid or interactive table. This allows for sorting, filtering and exporting of data.

Search for a Folder: Folder... Search for a Location: 94590 - Gold Coast Seaway

Select a Data Set: Precip Increm Weather Observations@94590 Date: Latest Data

Summary Chart Grid **Statistics** Alerts Export Reports Sample Dashboard Go To Map

| Timestamp | Precipitation Increments | Grade Code | Approval Level | Interpolation Type |
|---------------------|--------------------------|------------|-----------------|----------------------|
| 2020-12-13 12:30:00 | 1 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |
| 2020-12-13 13:00:00 | 0.8 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |
| 2020-12-13 13:30:00 | 0.2 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |
| 2020-12-13 14:00:00 | 0.4 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |
| 2020-12-13 14:30:00 | 0.2 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |
| 2020-12-13 15:00:00 | 0 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |
| 2020-12-13 15:30:00 | 1.4 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |
| 2020-12-13 15:30:00 | 2.4 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |
| 2020-12-13 15:30:00 | 0 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |
| 2020-12-13 16:00:00 | 1.8 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |
| 2020-12-13 16:30:00 | 1.2 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |
| 2020-12-13 17:00:00 | 1.6 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |
| 2020-12-13 17:30:00 | 1.2 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |
| 2020-12-13 18:00:00 | 2.8 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |
| 2020-12-13 18:30:00 | 0.8 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |
| 2020-12-13 19:00:00 | 0.8 | 0 - UNDEF | 1200 - Approved | 5 - Preceding Totals |

Precip Increm Weather Observations@94590

Location Name: Gold Coast Seaway (Map)
 Parameter: Precipitation Incremental
 Unit: Millimetres
 Start of Record: 2009-10-14 15:30 (UTC+10:00)
 End of Record: 2020-12-15 00:00 (UTC+10:00)
 Last Updated: 2020-12-15 01:14 (UTC+10:00)

Grid Options

Select Time Zone:
Location Time Zone: (UTC+10:00)

Grade Code

- 3 - GAP
- 2 - UNUSABLE
- 1 - UNSP

- The **Statistics** tab displays any statistics that have been calculated against the Data Set. Statistics must be pre-defined for each interval to be displayed. Statistics are not available for Custom date ranges.

Search for a Folder: Folder... Search for a Location: 94590 - Gold Coast Seaway

Select a Data Set: Precip Increm Weather Observations@94590 Date: Latest Data

Summary Chart Grid **Statistics** Alerts Export Reports Sample Dashboard Go To Map

| Statistic | Timestamp | Event Timestamp | Value | Grade Code | Interpolation Type |
|--------------------|---------------------|---------------------|-------|------------|----------------------|
| Nearest 1 hr ARI | 2020-12-14 21:30:00 | | 0 | 0 - UNDEF | 2 - Preceding Avg. |
| Nearest 1 hr burst | 2020-12-15 00:00:00 | 2020-12-14 12:30:00 | 12.4 | 0 - UNDEF | 3 - Preceding Max. |
| Nearest 6 hr ARI | 2020-12-14 21:30:00 | | 0 | 0 - UNDEF | 2 - Preceding Avg. |
| Nearest 6 hr burst | 2020-12-15 00:00:00 | 2020-12-14 07:30:00 | 27.4 | 0 - UNDEF | 3 - Preceding Max. |
| Last 1 hr | 2020-12-15 00:00:00 | 2020-12-14 23:00:00 | 1.8 | 0 - UNDEF | 5 - Preceding Totals |
| Last 12 hr | 2020-12-15 00:00:00 | 2020-12-14 12:00:00 | 31.4 | 0 - UNDEF | 5 - Preceding Totals |
| Last 24 hr | 2020-12-15 00:00:00 | 2020-12-14 00:00:00 | 50.6 | 0 - UNDEF | 5 - Preceding Totals |
| Last 24 Hr | 2020-12-15 00:00:00 | 2020-12-14 00:00:00 | 51 | 0 - UNDEF | 5 - Preceding Totals |
| Last 6 hr | 2020-12-15 00:00:00 | 2020-12-14 18:00:00 | 7.6 | 0 - UNDEF | 5 - Preceding Totals |

Precip Increm Weather Observations@94590


Location Name: Gold Coast Seaway (Map)
 Parameter: Precipitation Incremental
 Unit: Millimetres
 Start of Record: 2009-10-14 15:30 (UTC+10:00)
 End of Record: 2020-12-15 00:00 (UTC+10:00)
 Last Updated: 2020-12-15 01:14 (UTC+10:00)

Grade Code

- 3 - GAP
- 2 - UNUSABLE

- The **Alerts** tab contains a grid that displays Notifications sent out by the WebPortal. These Notification messages are sent out as emails and text-messages (SMS) to people in Distribution Groups.
- The **Export** tab displays the export screen for the data set, letting you define the parameters of a data export. For example, a date range, export format, and units can be defined, along with other details . For


more information, see "Data Mode > Export" on page 46.



- The **Reports** tab displays text-based reports called Information Requests, which can be displayed on-screen or requested via email or text-message (SMS). It also displays published reports, usually in PDF format.
- Your system may also be configured with **Dashboard** tabs. These can provide additional ways of displaying the Time-Series data including in gauges, charts combining data from multiple time-series, or live webcam views of the Location.

2.2 View Data in Maps

By default, WebPortal shows a selection of data the portal makes available to all users. Exactly what this data depends on how the portal administrator has set the defaults, or what data you were viewing the last time you visited the portal. Once on the portal you can customize the data to display what is relevant to you.




2.2.1 Filtering

To filter for meteorological stations above 1000m, for example, you can use the following steps. You may have to adjust the items selected to match the data available on your portal.

1. Click **Filter**.
2. Click **New Filter**.
3. In the **Name** field, type a name for the filter.
4. Click **Location Attribute**.
5. Click **Type**.
6. Click **Location whose Type**; then select **Meteorological station** from the drop-down list.
7. Click **Add Filter**. You will be returned to the Location Attributes screen.

8. Click **Elevation**.
9. Click **Is greater than**, then select **Is greater than or equal to** from the drop-down list.
10. In the field below, type **1000**. You do not need to enter units, the field uses whatever units the system defaults to, meters in this case.
11. Click **Filter**. The map information changes to show only meteorological stations with elevations of 1000m or above.



Note that if these stations are grouped in a specific region, the map will re-center and zoom to highlight this area. Also note the filter name you entered is now displayed next to the Filter control, and can be edited if you want to further adjust the parameters.

If you are not logged in, these filters are personal and can only be seen by you, and will expire when you leave the portal. If you are logged in, you can save these filters for your own use later, but they cannot be shared with other users. The portal administrator can create filters and make them available to other users.

2.2.2 Applying Legends

Legends help visualize the information available on the portal by applying different colors, markers, or additional visual elements to the map. The legend displayed is linked to the value you have selected. If you click Select Legend, a list of available and relevant legends will be displayed. Continuing with our previous example of meteorological stations based on elevation, you might be able to select a legend that colors the points based on elevation ranges, giving you a better idea of just how high the stations are. The legends available and the parameters they use depends on the data available and how the administrator has configured the portal. They can be based on either location attributes or data set properties.


HINT To learn more about using and filtering maps, see "Data Mode > Map" on page 13.

2.3 List View

The List page provides a grid-based view of the data currently displayed on the map. Filters developed for the Map can also be applied to the Grid view. A filter based on a specific geographical location or area may not be readily apparent from this view, but only locations within the specified area are displayed on the grid.

2.3.1 Filtering Grids

You can also apply filters based on the columns of the grid itself. Each column header will have a filter (▼) icon. Click the filter icon to activate the filter options (shown below).




Continuing with our example of meteorological stations over 1000 m, we now want to narrow our search to any stations associated with mountains.

1. Click the ▼ icon for the Location column.
2. Using the following graphic as a guide, filter the locations for any that contain the word Mount, or the abbreviation Mt.

3. Click **Filter**. The list of stations will be further reduced to show only the ones with Mount or Mt in their location names.

You can also sort the information alphabetically by column by clicking the column heading you want to use.


 **HINT** To learn more about using Lists, see "Data Mode > List" on page 23.

2.4 Export your Data

Once you have filtered to select only the data sets you are interested in, you may want to export this data from the portal to your own system for further use. The ability to do this will depend on the rights granted to portal users by the portal administrator, so may not be available to you in some cases.

Data mode's Export page contains configuration options that you can use to bulk export your data sets. You can export multiple data sets for multiple parameters from multiple locations – all to a single, time-aligned file. Or to separate files for each data set, depending on your preferences for a given export event.

1. With the List from the previous example displayed, click **Go To** for one of the data sets, then select **Exports** from the drop-down list. The Export page for the relevant data set displays.



The screenshot shows the 'Export' page in the AQUARIUS WebPortal. At the top, there are search filters for 'Folder' and 'Location'. Below that, a 'Select a Data Set' dropdown is set to 'Air Temp.Weather Observations@95979'. A navigation bar includes 'Summary', 'Chart', 'Grid', 'Statistics', 'Alerts', 'Export', 'Reports', 'Sample Dashboard', and 'Go To Map'. The 'Export' section contains several configuration options: 'Data Type' (Data Set), 'Date Range' (Entire Period of Record), 'Export Format' (CSV), 'Compressed' (checked), 'Rounding' (Full Precision), 'Unit' (Select Unit...), and 'Time Zone' (Location Time Zone (UTC+10:00)). A 'Download' button is present. At the bottom, an 'Export URL' is displayed with a 'Copy to Clipboard' button. On the right side, a metadata panel shows details for the selected data set, including location, parameter, unit, and dates.

2. Click **Date Range**, then select Last 7 Days from the drop-down list.
3. Click **Export Format**. Note that in addition to the default CSV format you can also export to Excel or JSON formats.
4. Click **Unit**. Note that the units available are automatically determined by the type of data being exported, and use the same default as the portal.
5. Click **Download** to download the data set to your local machine.

You can export multiple data sets at once using the Bulk Export feature. By default this feature is limited to 20 data sets to avoid overwhelming system resources, check with your system administrator to see where they have set this limit. Also you can use a URL to download the datasets in conjunction with the WebPortal API.

If you logged in and are frequently exporting the same data, you can configure and save an Export Template, to make future exports quicker and more efficient.

HINT To learn more about exporting data, see "Data Mode > Export" on page 46 and "Account Mode > Account Export Templates" on page 63.

3 Data Mode

Data mode is the functional area in which the majority of day-to-day tasks are performed.

- [Map](#)
- [List](#)
- [Folder](#)
- [Location](#)
- [Data Set](#)
- [Chart](#)
- [Export](#)
- [Alerts](#)
- [Reports](#)
- [Dashboards](#)

i **NOTE** Depending on how your system is configured, a disclaimer may be displayed when launching WebPortal.


i **NOTE** The pages, data, and actions available to you depend on the privileges specified for your [User Account](#), [View Group](#), or [Admin Security Role](#).

3.1 Data Mode > Map

You can use the **Map** page to monitor latest values received via data acquisition/telemetry, as well as to review historic events and forecast data. Similar to the **Lists** page, you can use the **Map** page's data selectors to specify the following:


- The folder, parameter, or value to display.
- The latest data, periodic (daily, monthly, or yearly), or seasonal (daily, monthly, or annual) data to display.

- **Polygon**




Click the map once to start drawing, continue clicking to create your shape, then double-click when the shape is complete. Alternatively, you can hold the mouse button down and drag for more precise drawing.

- **Rectangle**




Press down and drag from the one corner to the other, letting the mouse go when finished.

- **Circle**



Press down and drag from the centre of the circle, letting the mouse go when finished. The radius is shown with the tools when drawing.

Once a shape has been drawn you can click it to make edits. You can resize using the handlebars, or rotate or move the shape by clicking and dragging it at its centre point.




Locations displayed on the map will not be updated until you've finished making changes to the shape and de-selected it.

In addition to resizing and reshaping, when a shape is selected there is also the option to remove it, which will remove that spatial filter.

Only a single spatial filter can be added to the map at a time. Drawing a new shape over a preexisting one causes the new spatial filter to replace the preexisting one.

3.1.2 Search



The Search bar is located in the upper right corner of the map on desktops, and is shown as an expandable option with other Map Controls in mobile mode. This allows you to enter a text search, which will be run against the Locations in your WebPortal database for possible matches.

Clicking on any of the items in the drop-down list will center and zoom the map to that Location, and display the Location pop-up window. If the Location is currently filtered, a pop-up window indicating this status will be displayed instead.

3.1.3 Scale Bar


Appears in the bottom-left corner, and shows a scale in Metric and Imperial measurements. Not available in 3D mode.



3.1.4 Coordinates

Displays the geographic coordinates (latitude and longitude) for the current mouse position on the map in the bottom-left corner. Not available in mobile mode.

3.1.5 Map Scene Controls




Located in the bottom-right corner of the map, are the following controls:

- **Zoom buttons:** Allow you to zoom in and out of the map.
- **Pan and Rotate:** Toggles the mouse between panning the map or rotating the map in 3D mode.
- **Orientation:** Only available in 3D mode. Click to reset compass orientation.
- **Scene Switcher:** Toggles between 2-dimensional and 3-dimensional views of the map. The 3-dimensional view will display heights of terrain or buildings only if data is available. Not available in mobile mode.

3.1.6 Map Options


A collapsible item in the Info panel provides options that allow you to change how data is displayed on the map.



- **Display Indicators:** Shows or hides all indicators representing a location or time-series.
- **Aggregate Indicators:** Takes overlapping indicators and aggregates them to a single point. When the map is zoomed in, individual indicators will be displayed when they no longer overlap. The aggregated indicators are shown as large circle, with a number showing how many indicators are represented. The color of the marker represents the most common Legend color for the aggregated locations. Not available in 3D mode, or when **Show Values In Indicators** is selected.
- **Display Values:** Shows or hides numbers that are displayed beside indicators.
- **Show Values In Indicators:** Shows larger indicators with the values displayed inside them instead of to the right. When turned on the **Aggregate Indicators** option is disabled, as there is no way differentiate between an aggregated indicator and a normal value indicator in this situation.
- **Legend Selector:** Changes which legend is used to classify data on the map.
- **Live Data Feed:** Indicates whether the Map is receiving a live feed of data. When the map is showing Latest Statistics the indicators will auto-refresh when data has been updated.

3.1.7 Legend

A collapsible item in the Info panel shows the Legend that classifies the data currently displayed on the Map.




- **Legend Band Toggles.** show or hide any indicator classified in that band.
- **Counter.** displays total number of data sets for the legend; number auto-adjusts according to map options selected.

3.1.8 Data Set Reference

A collapsible item in the Info panel shows a list of data set references which can be overlaid on the map as new indicator layers. When data set references are displayed, each has a pop-up window containing a statistic summary for the related data set.


3.1.9 Heat Maps and Isolines

A collapsible item in the Info panel shows a list of heat maps and isolines that can be overlaid on the map. Each layer can be applied independently of the other. Selecting the switch option changes the parameter and statistic to reflect statistic values used to generate the selected heat map and isolines.



3.1.10 Layers Selector

A collapsible item in the Info panel that gives you the ability to add layers (overlays) on the map. A precipitation layer is shown below.



3.1.11 Indicators


- These symbols identify your locations and data sets.
- When a statistic is selected, the indicator usually includes a number.
- When a legend is selected, it is evaluated and colored according to the legend selected.

3.1.12 Pop-up Windows

Clicking on an indicator displays contextual information.


There are three different types of pop-up windows can display depending on the type of data being viewed.

Location Pop-up Windows




- Are displayed when no Parameter is selected, so the map is in Location-centric mode
- Displays the Location Identifier, Name, Type, Folder, Coordinates, Elevation and number of Data Sets
- Displays a link to the Location page

Data Set Pop-up Windows



- Are displayed when a Parameter is selected, so the map is in Data Set-centric mode
- Displays the Data Set Identifier and Location Name
- Displays the Status when displayed value has a Legend
- Displays timestamps for Start of Record, End of Record, and Last Updated
- Depending on configured data, Statistic values, Parameter Range values, and State values can be shown.
- Displays links to the Location and Data set pages

Data Set Reference Pop-up Windows



- Displays when Data Set References have been added to the Map, these are a separate type of Map Indicator
- Displays the Location Identifier and Name
- Displays the Status
- Displays the Type and Related Data Set
- Displays the Range Minimum and Maximum values
- Displays a link to the Location and Related Data set pages


3.2 Data Mode > List

The **List** page provides a grid-based view of the data currently displayed on the map. As with the **Map** page, you can use the **List** page’s data filters to specify:

- The folder, parameter or value to display.
- The latest data, or daily, monthly, or yearly data displayed.
- The location and/or data set properties the data should be associated with.

The columns shown on the grid depend on whether the grid is Location or Data Set centric:


- If no Parameter is selected the grid is Location-centric and displays the following columns: **Identifier**, **Location**, **Location Folder**, **Location Type**, **Value**, **Status**, and **Go To**. Optionally, **State** displays if a Location State has been configured.



| Identifier | Location | Location... | Location... | Value | Status | Go To |
|------------|---------------------|--------------------|------------------|-------|--------|-------|
| 94926 | Canberra | All Locations.A... | Meteorology S... | 94926 | - | Go To |
| 94927 | Braidwood | All Locations.A... | Meteorology S... | 94927 | - | Go To |
| 95916 | Cabramurra | All Locations.A... | Meteorology S... | 95916 | - | Go To |
| 94921 | Cooma Airport | All Locations.A... | Meteorology S... | 94921 | - | Go To |
| 95716 | Goulburn Airport | All Locations.A... | Meteorology S... | 95716 | - | Go To |
| 94751 | Jervis Bay Airfi... | All Locations.A... | Meteorology S... | 94751 | - | Go To |
| 94939 | Montague Island | All Locations.A... | Meteorology S... | 94939 | - | Go To |
| 95937 | Moruya Airport | All Locations.A... | Meteorology S... | 95937 | - | Go To |
| 95925 | Mount Ginini | All Locations.A... | Meteorology S... | 95925 | - | Go To |
| 95935 | Narooma | All Locations.A... | Meteorology S... | 95935 | - | Go To |
| 94750 | Nowra | All Locations.A... | Meteorology S... | 94750 | - | Go To |

- If Parameters are selected the grid is Data Set-centric and displays the following columns: **Data Set Id**, **Location**, **Location Folder**, **Start of Record**, **End of Record**, **Value**, **Status**, **Go To**. Optionally, **State** displays if a

Data Set State has been configured.



The screenshot displays the AQUARIUS WebPortal interface. On the left is a navigation sidebar with options like Map, List, Folder, Location, Data Set, Chart, Export, Alerts, Reports, and Dashboards. The main area features a search bar, a parameter dropdown set to 'Height of Gauge (River Stage)', and a value dropdown set to 'Latest'. Below this is a table with columns for Data Set Id, Location, Location Fol..., Value, Status, and Go To. The Status column for all rows is 'Normal'. To the right of the table is a 'Filter Data' button and a legend panel for 'Flood Type' with various categories like 'No Signal', 'Not Classified', 'Normal', 'Minor Flooding', 'Moderate Flooding', and 'Major Flooding'. A 'List Options' panel is also visible at the bottom right.

| Data Set Id | Location | Location Fol... | Value | Status | Go To |
|----------------------|--------------------------|-----------------------|-------|--------|-------|
| Stage.Observation... | Clyde River at Both... | All Locations.Tasm... | 0.07 | Normal | Go To |
| Stage.Observation... | Mersey River at Lat... | All Locations.Tasm... | 0.2 | Normal | Go To |
| Stage.Observation... | Jordan River at Ma... | All Locations.Tasm... | 0.27 | Normal | Go To |
| Stage.Observation... | Isis River at Barton | All Locations.Tasm... | 0.42 | Normal | Go To |
| Stage.Observation... | Mersey River at Lie... | All Locations.Tasm... | 0.44 | Normal | Go To |
| Stage.Observation... | Nile River at Deddi... | All Locations.Tasm... | 0.53 | Normal | Go To |
| Stage.Observation... | Ouse River at Asht... | All Locations.Tasm... | 0.57 | Normal | Go To |
| Stage.Observation... | Huon River at Tahu... | All Locations.Tasm... | 0.7 | Normal | Go To |
| Stage.Observation... | Derwent River at N... | All Locations.Tasm... | 0.7 | Normal | Go To |
| Stage.Observation... | Meander River at ... | All Locations.Tasm... | 0.75 | Normal | Go To |
| Stage.Observation... | St Patricks River at ... | All Locations.Tasm... | 0.78 | Normal | Go To |


3.2.1 Grid Pages: Available Actions

Data is displayed on the Data mode's **List** page in an interactive grid.

When grids are displayed, you can act on individual grid items using the Row Actions buttons on the right-side of the grid.

You can also act on the entire contents of the grid using the grid's headers, as well as the Page Actions menu.

The image and list below highlight some of the functionality available when viewing a WebPortal grid.



| Data Set Id | Location | Location ... | Start of R... | End of R... | Value | Status | Go To |
|------------------|-------------------|--------------------|--------------------|--------------------|---------|--------------|-------|
| Air Temp.Weat... | Mount Hotham | All Locations.V... | 2019-08-10 16:... | 2021-08-26 00:... | -3.5 °C | -6°C - -3... | Go To |
| Air Temp.Weat... | Thredbo Top S... | All Locations.A... | 2019-08-10 16:... | 2021-08-26 00:... | -3.2 °C | -6°C - -3... | Go To |
| Air Temp.Weat... | Mount Buller | All Locations.V... | 2019-08-10 16:... | 2021-08-26 00:... | -3.0 °C | -3°C - 0°C | Go To |
| Air Temp.Weat... | Mount Baw Baw | All Locations.V... | 2019-08-10 16:... | 2021-08-26 00:... | -2.2 °C | -3°C - 0°C | Go To |
| Air Temp.Weat... | Mount Ginini | All Locations.A... | 2019-08-10 16:... | 2021-08-26 00:... | -2.0 °C | -3°C - 0°C | Go To |
| Air Temp.Weat... | Perisher Valley | All Locations.A... | 2019-08-10 16:... | 2021-08-26 00:... | -1.6 °C | -3°C - 0°C | Go To |
| Air Temp.Weat... | kunanyi / Mou... | All Locations.T... | 2019-07-22 16:... | 2021-08-25 17:3... | -1.5 °C | -3°C - 0°C | Go To |
| Air Temp.Weat... | Mount Read | All Locations.T... | 2019-07-22 16:... | 2021-08-26 00:... | -1.4 °C | -3°C - 0°C | Go To |
| Air Temp.Weat... | Liawenee | All Locations.T... | 2019-07-22 16:... | 2021-08-26 00:... | -1.3 °C | -3°C - 0°C | Go To |
| Air Temp.Weat... | Glen Innes Air... | All Locations.N... | 2019-08-10 15:5... | 2021-08-26 00:... | -1.1 °C | -3°C - 0°C | Go To |
| Air Temp.Weat... | Mount William | All Locations.V... | 2019-08-10 16:... | 2021-08-26 00:... | -0.5 °C | -3°C - 0°C | Go To |
| Air Temp.Weat... | Mount Hotha... | All Locations.V... | 2019-08-10 16:... | 2021-08-26 00:... | -0.2 °C | -3°C - 0°C | Go To |
| Air Temp.Weat... | Armidale Airp... | All Locations.N... | 2019-08-10 16:... | 2021-08-26 00:... | 0.4 °C | 0°C - 3°C | Go To |

- **1. Sort.** To sort the grid by a particular column, click its header. Clicking the header toggles the sort order between ascending, descending, and not sorted – indicated respectively by an upward arrow, a downward arrow, or no arrow next to the column’s name.
- **2. Filter.** To filter the grid’s contents by a particular column, click the filter icon on the right side of the column header, complete the fields in the dialog displayed, then click the **Filter** button in the dialog. If a column has an active filter, its filter icon is highlighted.
- **3. Item Count.** The total number of items in a grid at any given time is always displayed at the bottom of the grid.
- **4. Go To column.** This column provides navigation options to switch directly to other tabs. In Location-centric mode the user can go to the Map (centre and zoom on the Location) or directly to any tab under the Location tab. In Data Set-centric mode the user can go to the Map, Location tabs or directly to any tab under the Data Set tab.
- **5. Refresh.** To refresh your underlying data when viewing the latest interval, either select this option from the Page Actions menu, or click the **Refresh Data** icon at the bottom-right of the grid.
- **6. Options menu button.** This button provides the following functions.
 - **Export Grid.** To export the grid’s contents to CSV or Excel format, click the **Options** menu button in the top-right corner of the page.

- **Send Data Sets to Export.** To export the data sets captured by the page's current Data Filter and Info panel settings, click the Page Actions menu (top-right of page) and select this option. This auto-populates the Add Data Sets section of the form on the [Export](#) page, and redirects you to the page so you can configure the remaining export options.
- **Send Data Sets to Chart.** To view a chart containing the page's captured data sets, select this option from the Page Actions menu. This auto-configures the [Chart](#) page, and redirects you so you can view your chart.
- **Reset Sort, Clear Filters.** To reset the grid's sort settings to their default state and to remove all of the grid's active Data Filters, select this option from the Page Actions menu.

3.3 Data Mode > Folder


The **Folder** page displays all information for a selected location folder. The page features two tabs: **Summary** and **Alerts**.

3.3.1 Summary Tab

The **Folder** page's **Summary** tab displays:

- Data about the selected folder.
- A list of links to the selected folder's child folders.
- A grid listing all descendant locations contained within the folder's hierarchy. Each location in the grid has a

Go To button that enables easy navigation to either the map, or to a particular tab on the location’s page.



3.3.2 Alerts Tab

The **Folder** page’s **Alerts** tab displays notifications triggered by or related to any locations within the current folder’s hierarchy.

3.4 Data Mode > Location

The **Location** page displays all information for a Location. The page features four tabs: **Summary**, **Alerts**, **Files**, and **Reports**.


3.4.1 Summary Tab

The **Summary** tab displays:

- Data about the selected location, including any regular and/or extended location attributes that are configured to be visible to you, based on your user account, view group, or security role.
- A link to the selected location’s parent folder.
- Buttons for exporting the location’s data.
- A grid of data sets including the location, each with links to a map and other applicable pages.

A location’s coordinates may be displayed as Longitude/Latitude, Easting/Northing, or both, as applicable.

The location is listed with any tags inherited from Time-Series and configured to be displayed in WebPortal, either globally or for the specific view group.



The screenshot displays the AQUARIUS WebPortal interface. The top navigation bar includes 'Data', 'Admin', and 'Account' menus. The left sidebar contains navigation options: Map, List, Folder, Location, Data Set, Chart, Export, Alerts, Reports, and Dashboards. The main content area shows the 'Summary' tab for location '095046 - Clyde River at Bothwell'. The location details are as follows:

| | |
|----------------------|--|
| Location Name | Clyde River at Bothwell |
| Location Type | Hydrology Station |
| Folder | All Locations.Tasmania |
| Latitude / Longitude | -42° 22' 43", 147° 0' 10" (WGS 84) |
| Elevation | 345.64 m |
| Time Zone | UTC+10:00 |
| Description | |
| Active | <input checked="" type="checkbox"/> |
| Tags | No tags are associated with this Location. |

Below the details, there are buttons for 'Export last 7 days (CSV)' and 'Export all Data (CSV)'. A 'Data Sets' table is visible at the bottom, with columns for Data Set Name, Parameter, Start of Record, End of Record, Last Update, Active status, and Go To. One data set is listed: 'Stage.Observati...' with parameter 'Height of Gaug...' and a 'Go To' button.

3.4.2 Alerts Tab

The **Alerts** tab displays notifications triggered by or related to the current Location.

Search for a Folder: Folder... Search for a Location: 94272 - Mount Stuart (Defence)

Date: Monthly | August 2021

Summary Alerts Files Reports Go To Map

| Name | Message | Triggered ↓ | Reference |
|-----------------|---------------------------------------|---------------------|-----------|
| ▶ High Rainfall | [UPDATE:29390] High Rainfall (> 2... | 2021-08-31 07:53:04 | Local |
| ▶ High Rainfall | [UPDATE:29389] High Rainfall (> 2... | 2021-08-31 06:49:13 | Local |
| ▶ High Rainfall | [UPDATE:29388] High Rainfall (> 2... | 2021-08-31 05:45:26 | Local |
| ▶ High Rainfall | [UPDATE:29386] High Rainfall (> 2... | 2021-08-31 04:43:27 | Local |
| ▶ High Rainfall | [UPDATE:29384] High Rainfall (> 2... | 2021-08-31 03:40:17 | Local |
| ▶ High Rainfall | [UPDATE:29382] High Rainfall (> 2... | 2021-08-31 02:36:58 | Local |
| ▶ High Rainfall | [UPDATE:29380] High Rainfall (> 2... | 2021-08-31 01:34:46 | Local |
| ▶ High Rainfall | [UPDATE:29378] High Rainfall (> 2... | 2021-08-31 00:30:44 | Local |
| ▶ High Rainfall | [UPDATE:29376] High Rainfall (> 2... | 2021-08-30 23:25:21 | Local |
| ▶ High Rainfall | [UPDATE:29375] High Rainfall (> 2... | 2021-08-30 22:21:03 | Local |
| ▶ High Rainfall | [UPDATE:29374] High Rainfall (> 2... | 2021-08-30 21:17:03 | Local |
| ▶ High Rainfall | [UPDATE:29373] High Rainfall (> 25... | 2021-08-30 20:12:38 | Local |
| ▶ High Rainfall | [UPDATE:29372] High Rainfall (> 2... | 2021-08-30 19:12:06 | Local |
| ▶ High Rainfall | [UPDATE:29371] High Rainfall (> 25... | 2021-08-30 18:09:20 | Local |
| ▶ High Rainfall | [UPDATE:29370] High Rainfall (> 2... | 2021-08-30 17:07:46 | Local |
| ▶ High Rainfall | [UPDATE:29369] High Rainfall (> 2... | 2021-08-30 16:03:42 | Local |
| ▶ High Rainfall | [UPDATE:29368] High Rainfall (> 2... | 2021-08-30 15:00:19 | Local |

Items Displayed: 31

94272

Location Name: Mount Stuart (Defence)

Location Type: Meteorology Station

Coordinates: -19° 23' 59", 146° 48' 0" (WGS 84)

aiou-docsdemo/AQWebPortal/Data/Location/Summary/Location/.../08

3.4.3 Files Tab

The **Files** tab displays all files synchronized from AQUARIUS Time-Series that are available to the current user.

Images and other files are shown. You can set or clear the **Show Images** and **Show Files** check boxes to see only images or only files. If image files are shown, a preview displays to the right of the file list.

Click **Filter By Tags**: to filter the files by Time-Series tags.

3.4.4 Reports Tab

The **Reports** tab displays a grid listing any reports synced to AQUARIUS WebPortal from Time-Series systems for the selected Location.

Clicking a report's link in the grid opens that report in your browser, as shown in the following example:

Daily Mean by Year 1 / 3

AQUATIC Informatics

Aquatic Informatics Data Management Software
Faster Analysis. Better Decisions.

Daily Mean by Year
Parent Folder.Child Folder.Report - [Report Description]

Jul 13, 2017 | 1 of 3
Period Selected: 2014-01-01 00:00 - 2016-12-31 23:59

Source Data: Discharge.working@training01, training01
Utc Offset: +00:00
Units: ft³/s

Year 2014 Max: 46537.441 Min: 161.421 Mean: 1159.919

| Day | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----|-----------|----------|----------|----------|---------|---------|---------|---------|----------|---------|---------|----------|
| 1 | 1016.975 | 3422.466 | 2931.580 | 2861.284 | 904.194 | 664.371 | 164.663 | 387.569 | 1257.994 | 215.868 | 209.712 | 301.256 |
| 2 | 1020.879 | 2817.172 | 3294.486 | 2635.606 | 892.222 | 628.689 | 163.113 | 333.357 | 1802.039 | 209.931 | 205.895 | 293.274 |
| 3 | 1016.837 | 2482.150 | 3581.936 | 2457.356 | 876.868 | 589.888 | 170.951 | 318.196 | 1411.453 | 206.682 | 201.929 | 284.737 |
| 4 | 1042.163 | 3342.459 | 3183.924 | 2376.637 | 845.108 | 560.281 | 181.924 | 555.946 | 1517.330 | 204.552 | 197.346 | 277.517 |
| 5 | 1037.981 | 3338.493 | 2776.824 | 2236.986 | 813.548 | 531.981 | 172.788 | 417.729 | 1790.144 | 231.657 | 196.778 | 275.472 |
| 6 | 1074.319 | 2715.453 | 2586.381 | 2091.756 | 788.910 | 506.598 | 164.624 | 369.667 | 1370.007 | 318.982 | 195.528 | 274.594 |
| 7 | 11305.658 | 2210.079 | 2449.909 | 2003.287 | 767.374 | 482.554 | 231.292 | 359.795 | 995.188 | 297.802 | 195.527 | 270.133 |
| 8 | 14572.964 | 2194.125 | 2272.317 | 1931.240 | 749.761 | 455.092 | 265.162 | 351.721 | 798.951 | 314.609 | 198.800 | 274.027 |
| 9 | 5583.090 | 2510.205 | 2165.015 | 1901.646 | 729.339 | 430.265 | 184.693 | 348.767 | 697.741 | 335.485 | 202.200 | 273.638 |
| 10 | 3543.467 | 2546.445 | 2088.003 | 1870.852 | 715.163 | 406.070 | 170.525 | 378.490 | 625.968 | 290.757 | 212.329 | 283.768 |
| 11 | 2976.276 | 2517.906 | 2040.744 | 1826.747 | 693.324 | 377.441 | 187.926 | 420.133 | 625.195 | 269.743 | 228.681 | 292.134 |
| 12 | 2337.050 | 2567.042 | 2089.236 | 1720.638 | 667.048 | 351.248 | 190.879 | 354.043 | 635.759 | 266.491 | 233.350 | 297.786 |
| 13 | 1969.289 | 2523.960 | 2267.115 | 1602.791 | 646.448 | 334.115 | 281.394 | 384.357 | 663.896 | 306.507 | 228.461 | 295.881 |
| 14 | 1708.539 | 2494.324 | 2546.370 | 1480.299 | 638.713 | 317.040 | 277.313 | 376.726 | 597.987 | 392.654 | 230.187 | 304.820 |
| 15 | 1472.775 | 2665.218 | 2774.279 | 1392.759 | 629.021 | 300.645 | 260.321 | 503.295 | 545.810 | 485.997 | 237.704 | 338.248 |
| 16 | 1275.526 | 2755.465 | 2795.927 | 1348.467 | 606.582 | 282.436 | 281.441 | 536.022 | 524.157 | 402.032 | 238.373 | 379.042 |
| 17 | 1110.544 | 3416.025 | 2554.696 | 1328.850 | 597.915 | 265.651 | 246.646 | 595.984 | 413.568 | 356.842 | 238.104 | 1297.066 |
| 18 | 938.152 | 3401.768 | 2362.934 | 1327.134 | 570.672 | 251.956 | 230.100 | 678.323 | 357.573 | 325.809 | 238.635 | 1568.697 |
| 19 | 802.113 | 2921.616 | *** | 1287.373 | 552.202 | 240.258 | 206.871 | 972.903 | 329.735 | 301.127 | 238.418 | 1244.541 |
| 20 | 721.909 | 2588.238 | *** | 1243.165 | 543.343 | 230.458 | 192.296 | 675.805 | 310.578 | 282.151 | 239.023 | 780.209 |
| 21 | 654.648 | 2586.213 | *** | 1176.843 | 530.304 | 221.430 | 199.791 | 571.213 | 302.448 | 269.639 | 239.650 | 563.865 |

3.4.5 Dashboard Tabs

Every Dashboard configured for the Location is displayed on a unique tab, labelled with the name of the Dashboard.

3.5 Data Mode > Data Set

The **Data Set** page displays all information for a data set. The information is grouped into the following tabs within the main page: **Summary**, **Chart**, **Grid**, **Statistics**, **Alerts**, **Export**, and **Reports**.

3.5.1 Summary Tab

The **Data Set** page's **Summary** tab displays a summary of information about the data set. This includes the following fields:


- Location Identifier
- Location Name
- Parameter
- Unit
- Start of Record

- End of Record
- Last Updated
- Description
- Comments
- Active

This standard information is also shown in the Info panel.

Any regular or extended data set attributes configured to be visible to you (based on your user account, view group, or security role) are displayed here.

If the Data Set has been defined with parameter ranges, these should also be displayed. Possible examples include dam spill levels, environmental compliance bands, licence limits, and flooding levels.



The screenshot shows the AQUARIUS WebPortal interface. The main content area displays the 'Summary' tab for a data set named 'Stage.Observations@095046'. The summary includes the following information:

| | |
|---------------------|-------------------------------|
| Location Identifier | 095046 |
| Location Name | Clyde River at Bothwell |
| Parameter | Height of Gauge (River Stage) |
| Unit | Metres |
| Start of Record | 2020-06-14 00:30 (UTC+10:00) |
| End of Record | 2021-03-03 09:00 (UTC+10:00) |
| Last Updated | 2021-03-03 19:00 (UTC+10:00) |
| Description | |
| Comments | |
| Active | ✓ |


Below the summary, there are two buttons: 'Export last 7 days (CSV)' and 'Export all Data (CSV)'. At the bottom, there is a section for 'Data Set Parameter Range Values' and 'Flood Levels'.

3.5.2 Chart Tab

The **Chart** tab displays the Data Set's time-series data plotted onto a chart.

Hovering over any point on the chart without clicking displays the Date/Time and the Parameter value at that point.

Zooming in – either by dragging the controls in the navigation bar below the chart, or by clicking and dragging horizontally within the chart – reloads the chart with reset axes, and provides finer-grained display of data points within the chart.




Interval Filter Options

From the **Interval** filter's drop-down list you can select from the following options:

- **Latest.** The chart should display 24 hours into the past and six hours into the future by default, with a dashed line representing now.
- **Periodic.** You can specify a calendar day, month, or year to view periodic data.
- **Seasonal.** You can change the seasonal period by switching the interval and setting the date. For example, you can choose the *Seasonal: Daily* interval to view the same calendar day of data for a reference period (that spans several years). This is useful if you want to view and compare data for the same seasonal interval from year to year.

i NOTE When viewing a seasonal interval chart from the Data Set view, the system default shows the data sets as two separate series (current year and last year for comparison).




- **Custom.** You can also select a custom date range to view any range of data.

Info Panel Options

The Info panel on the **Data Set** page's **Charts** tab displays information about the Data Set, and includes the collapsible sections **Chart Options**, **Chart Layers**, **Grade Codes**, and **Approval Levels**.

- **Chart Options.** Allows you to perform actions such as resetting the zoom level, switching between pan and zoom modes, and switching the time zone.
 - You can use **Edit Chart** to launch a dialog allowing you to add or remove Data Sets, modify the use and appearance of the axes, modify a number of display settings, and add or remove Chart Layers. Signed-in users can save charts from this menu that are available for their own viewing. Administrators can save charts from this menu that are available for everyone to view.

 **HINT** To learn more, see [Data Mode > Chart](#).

- **Chart Layers.** Allows for toggling on/off the display of any available layers that exist for the selected location, parameter, or interval, including:
 - Field Visit data
 - Parameter Range Data (such as Flooding Levels)

- Parameter Lines (such as the 50th percentile/median)
- Percentile Bands (with selected Reference Periods and Intervals)
- Data Set Reference Locations (such as Flood-Prone Roads, or Flood-Prone Locations)
- **Grade Code Legend.** Contains a legend showing color/grade assignments of the displayed time-series data. These colors are displayed directly beneath the plot area in the Grade bar.
- **Approval Levels Legend.** Contains a legend showing color/approval assignments of the displayed time-series data. These colors are displayed directly beneath the plot area in the Approval bar.


i NOTE Grades and Approval Levels are shown below the chart only when a single data set is being displayed. If multiple data sets are displayed, the Grades and Approval Levels are not shown.

3.5.3 Grid Tab

The **Data Set** page's **Grid** tab shows the same time-series data from the chart, but displayed in tabular format.

As well as displaying the list of times and values, the **Grid** tab displays other important information about each data point, such as its Grade Code, Approval Level, and Interpolation Type.

The Info panel for this tab displays information about the Data Set, and includes collapsible sections for **Grid Options**, **Grade Codes**, and **Approval Levels**.



The screenshot shows the AQUARIUS WebPortal interface. The main content area displays a table with the following data:

| Timestamp | Height of Gauge (RL...) | Grade Code | Approval Level | Interpolation Type |
|---------------------|-------------------------|------------|-----------------|--------------------|
| 2021-03-03 09:00:00 | 0.100 | 0 - UNDEF | 1200 - Approved | 1 - Inst. Values |
| 2021-03-03 08:45:00 | 0.090 | 0 - UNDEF | 1200 - Approved | 1 - Inst. Values |
| 2021-03-03 08:30:00 | 0.100 | 0 - UNDEF | 1200 - Approved | 1 - Inst. Values |
| 2021-03-03 08:15:00 | 0.100 | 0 - UNDEF | 1200 - Approved | 1 - Inst. Values |
| 2021-03-03 08:00:00 | 0.100 | 0 - UNDEF | 1200 - Approved | 1 - Inst. Values |
| 2021-03-03 07:45:00 | 0.100 | 0 - UNDEF | 1200 - Approved | 1 - Inst. Values |
| 2021-03-03 07:30:00 | 0.100 | 0 - UNDEF | 1200 - Approved | 1 - Inst. Values |
| 2021-03-03 07:15:00 | 0.100 | 0 - UNDEF | 1200 - Approved | 1 - Inst. Values |
| 2021-03-03 07:00:00 | 0.100 | 0 - UNDEF | 1200 - Approved | 1 - Inst. Values |
| 2021-03-03 06:45:00 | 0.100 | 0 - UNDEF | 1200 - Approved | 1 - Inst. Values |
| 2021-03-03 06:30:00 | 0.100 | 0 - UNDEF | 1200 - Approved | 1 - Inst. Values |
| 2021-03-03 06:15:00 | 0.100 | 0 - UNDEF | 1200 - Approved | 1 - Inst. Values |
| 2021-03-03 06:00:00 | 0.100 | 0 - UNDEF | 1200 - Approved | 1 - Inst. Values |


The right sidebar contains the following information:

- Location: Clyde River at Bothwell (Map)
- Parameter: Height of Gauge (River Stage)
- Unit: Metres
- Start of Record: 2020-06-14 00:30 (UTC+10:00)
- End of Record: 2021-03-03 09:00 (UTC+10:00)
- Last Updated: 2021-03-03 19:00 (UTC+10:00)
- Grid Options: Select Time Zone: Location Time Zone (UTC+1)
- Grade Code Legend:
 - 0 - GAP
 - 2 - UNUSABLE
 - 1 - UNSP

3.5.4 Statistics Tab

The **Data Set** page's **Statistics** tab displays all statistics that are calculated for the Data Set over the selected Interval. As statistics are pre-calculated for the defined intervals, they are not available against the custom interval.

The Info panel for this tab displays information about the Data Set, and includes a collapsible section for grade codes.



The screenshot shows the AQUARIUS WebPortal interface. At the top left is the logo. The main header includes search fields for 'Folder', 'Location' (095046 - Clyde River at Bothwell), and 'Data Set'. Below this is a 'Date' selector set to 'Latest Data'. A navigation bar contains icons for Summary, Chart, Grid, Statistics (active), Alerts, Export, Reports, and Sample Dashboard. A left sidebar lists navigation options: Map, List, Folder, Location, Data Set, Chart, Export, Alerts, Reports, and Dashboards. The central area is a table with the following data:

| Statistic | Timestamp | Event Timesta... | Value | Grade Code | Interpolation T... |
|-----------|---------------------|---------------------|---------|------------|--------------------|
| Latest | 2021-03-03 09:00:00 | 2021-03-03 09:00:00 | 0.100 m | 0 - UNDEF | 1 - Inst. Values |

On the right, the info panel for 'StageObservations@095046' displays:

- Location Name: Clyde River at Bothwell (Map)
- Parameter: Height of Gauge (River Stage)
- Unit: Metres
- Start of Record: 2020-06-14 00:30 (UTC+10:00)
- End of Record: 2021-03-03 09:00 (UTC+10:00)
- Last Updated: 2021-03-03 19:00 (UTC+10:00)

Below the info panel is a 'Grade Code' legend with a dropdown menu set to '0 - UNDEF':

- 3 - GAP
- 2 - UNUSABLE
- 1 - UNSP
- 0 - UNDEF
- 1 - UNVERIFIED
- 2 - DRY

3.5.5 Alerts Tab

The **Data Set** page's **Alerts** tab displays alert notifications triggered by or related to the current location.

The Info panel for this tab displays information about the Data Set.

- Map
- List
- Folder
- Location
- Data Set
- Chart
- Export
- Alerts
- Reports
- Dashboards

Search for a Folder:

Search for a Location:

Select a Data Set: Date:

Summary
Chart
Grid
Statistics
Alerts
Export
Reports

[Go To Map](#)

| Name | Message | Triggered | Reference |
|-----------------|----------------------------------|---------------------|-----------|
| ▶ High Rainfall | [UPDATE:29391] High Rainfall ... | 2021-08-31 08:53:59 | Local |
| ▶ High Rainfall | [UPDATE:29390] High Rainfall... | 2021-08-31 07:53:04 | Local |
| ▶ High Rainfall | [UPDATE:29389] High Rainfall... | 2021-08-31 06:49:13 | Local |
| ▶ High Rainfall | [UPDATE:29388] High Rainfall... | 2021-08-31 05:45:26 | Local |
| ▶ High Rainfall | [UPDATE:29386] High Rainfall... | 2021-08-31 04:43:27 | Local |
| ▶ High Rainfall | [UPDATE:29384] High Rainfall... | 2021-08-31 03:40:17 | Local |
| ▶ High Rainfall | [UPDATE:29382] High Rainfall... | 2021-08-31 02:36:58 | Local |
| ▶ High Rainfall | [UPDATE:29380] High Rainfall... | 2021-08-31 01:34:46 | Local |
| ▶ High Rainfall | [UPDATE:29378] High Rainfall... | 2021-08-31 00:30:44 | Local |
| ▶ High Rainfall | [UPDATE:29376] High Rainfall... | 2021-08-30 23:25:21 | Local |
| ▶ High Rainfall | [UPDATE:29375] High Rainfall... | 2021-08-30 22:21:03 | Local |
| ▶ High Rainfall | [UPDATE:29374] High Rainfall... | 2021-08-30 21:17:03 | Local |
| ▶ High Rainfall | [UPDATE:29373] High Rainfall... | 2021-08-30 20:12:38 | Local |
| ▶ High Rainfall | [UPDATE:29372] High Rainfall... | 2021-08-30 19:12:06 | Local |
| ▶ High Rainfall | [UPDATE:29371] High Rainfall ... | 2021-08-30 18:09:20 | Local |
| ▶ High Rainfall | [UPDATE:29370] High Rainfall ... | 2021-08-30 17:07:46 | Local |

Precip Increm.Weather Observations@94272


| | |
|-----------------|------------------------------|
| Location Name | Mount Stuart (Defence) (Map) |
| Parameter | Precipitation Incremental |
| Unit | Millimetres |
| Start of Record | 2019-10-14 13:30 (UTC+10:00) |
| End of Record | 2021-08-31 23:30 (UTC+10:00) |
| Last Updated | 2021-09-01 01:14 (UTC+10:00) |

Items Displayed: 32

3.5.6 Export Tab

The **Data Set** page's **Export** tab allows users to export data sets from the selected location.

Data Set Export



Export

Select Data and Period of Record, then press download. As your selection is made the 'Export URL' will automatically update. This URL can be copied and used to download the data directly for easier automatic exporting.

Data Type:

Date Range:

Time Zone:

Calendar:

Interval/Points:

Conversion Option:

Export Format:

Compressed: Export File will be compressed into a zip archive

Rounding: Full Precision Round Data to Default Specification

Include Grade Codes?: Yes No

Include Interpolation Types?: Yes No

Include Approval Levels?: Yes No

| | |
|-----------------|------------------------------|
| Location Name | Halls Creek (Map) |
| Parameter | Air Temperature |
| Unit | Celsius |
| Start of Record | 2019-08-10 14:00 (UTC+08:00) |
| End of Record | 2022-04-08 06:30 (UTC+08:00) |
| Last Updated | 2022-04-08 17:05 (UTC+08:00) |

1. Click **Data Type**, then choose an option from the drop-down list. Each Data Type has different fields required to perform the export, the rest of the fields on the page may change depending on your choice.
2. Set the remaining fields on the page to the required options for your export. These fields are populated with default values designed to meet most common requirements.
 - **Data Type.** Choose between *Data Set*, *Periodic Statistic*, or *Seasonal Statistic*.
 - **Date Range.** Choose between *Custom*, *Entire Period of Record*, *Today*, *Last 7 Days*, and so on.
 - **Time Zone.** Choose between *Location Time Zone*, *User's Local Time Zone*, or *Coordinated Universal Time (UTC)*.
 - **Calendar.**
 - **Interval/Points** (Every [N] interval).
 - **Conversion Option.**
 - **Export Format.** Choose between the file types CSV, XLSX, and JSON.

- **Compressed.** Specify whether or not you want your output compressed into .zip format.
- **Rounding.** Choose either full precision or round values to the default specification. If a rounding specification has not been set, the system's default applies.
- **Include Metadata.** The available options depend on the options your system administrator has configured for your organization. If all options have been configured, you have the ability to include *Grade Codes, Approval Levels, and Interpolation Types.*


3. Choose either:

- **Download.** Export zipped files containing individual export files for all data sets (time-series) for the selected Location.
- **Copy to Clipboard.** Copy the URL inside the Export URL field. This URL can be used to begin an automatic download of the data you've specified. In addition to being bookmarked or shared with others, these links can also be used in conjunction with the WebPortal API.

3.5.7 Reports Tab

The **Data Set** page's **Reports** tab displays a grid listing any reports synced to AQUARIUS WebPortal from AQUARIUS Time-Series systems for the selected Data Set.

Clicking a report's link in the grid opens the report in your browser.



Daily Mean by Year 1 / 3

Aquatic Informatics Data Management Software
Faster Analysis. Better Decisions.

Daily Mean by Year Jul 13, 2017 | 1 of 3
Parent Folder: Child Folder: Report - [Report Description] Period Selected: 2014-01-01 00:00 - 2016-12-31 23:59

Source Data: Discharge.working@training01, training01 Units: ft³/s
Utc Offset: +00:00

| Year | 2014 | | | | | | | | | | | |
|------|-----------|----------|----------|----------|---------|---------|---------|---------|----------|---------|---------|----------|
| Day | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
| 1 | 1016.975 | 3422.466 | 2931.580 | 2861.284 | 904.194 | 664.371 | 164.663 | 387.569 | 1257.994 | 215.868 | 209.712 | 301.256 |
| 2 | 1020.879 | 2817.172 | 3294.486 | 2635.606 | 892.222 | 628.689 | 163.113 | 333.357 | 1802.039 | 209.931 | 205.895 | 293.274 |
| 3 | 1016.837 | 2482.150 | 3581.936 | 2457.356 | 876.868 | 589.888 | 170.951 | 318.196 | 1411.453 | 206.682 | 201.929 | 284.737 |
| 4 | 1042.163 | 3342.459 | 3183.924 | 2376.637 | 845.108 | 560.281 | 181.924 | 555.946 | 1517.330 | 204.552 | 197.346 | 277.572 |
| 5 | 1037.981 | 3338.493 | 2776.824 | 2236.986 | 813.548 | 531.981 | 172.788 | 417.729 | 1790.144 | 231.657 | 196.778 | 275.474 |
| 6 | 1074.319 | 2715.453 | 2586.381 | 2091.756 | 788.910 | 506.598 | 164.624 | 369.667 | 1370.007 | 318.982 | 195.528 | 274.594 |
| 7 | 11305.658 | 2210.079 | 2449.909 | 2003.287 | 767.374 | 482.554 | 231.292 | 359.795 | 995.188 | 297.802 | 195.527 | 270.133 |
| 8 | 14572.964 | 2194.125 | 2272.317 | 1931.240 | 749.761 | 455.092 | 265.162 | 351.721 | 798.951 | 314.609 | 198.800 | 274.027 |
| 9 | 5583.090 | 2510.205 | 2165.015 | 1901.646 | 729.339 | 430.265 | 184.693 | 348.767 | 697.741 | 335.485 | 202.200 | 273.638 |
| 10 | 3543.467 | 2546.445 | 2088.003 | 1870.852 | 715.163 | 406.070 | 170.525 | 378.490 | 625.968 | 290.757 | 212.329 | 283.768 |
| 11 | 2976.276 | 2517.906 | 2040.744 | 1826.747 | 693.324 | 377.441 | 187.926 | 420.133 | 625.195 | 269.743 | 228.681 | 292.134 |
| 12 | 2337.050 | 2567.042 | 2089.236 | 1720.638 | 667.048 | 351.248 | 190.879 | 354.043 | 635.759 | 266.491 | 233.350 | 297.786 |
| 13 | 1969.289 | 2523.960 | 2267.115 | 1602.791 | 646.448 | 334.115 | 281.394 | 384.357 | 663.896 | 306.507 | 228.461 | 295.881 |
| 14 | 1708.539 | 2494.324 | 2546.370 | 1480.299 | 638.713 | 317.040 | 277.313 | 376.726 | 597.987 | 392.654 | 230.187 | 304.820 |
| 15 | 1472.775 | 2665.218 | 2774.279 | 1392.759 | 629.021 | 300.645 | 260.321 | 503.295 | 545.810 | 485.997 | 237.704 | 338.248 |
| 16 | 1275.526 | 2755.465 | 2795.927 | 1348.467 | 606.582 | 282.436 | 281.441 | 536.022 | 524.157 | 402.032 | 238.373 | 379.042 |
| 17 | 1110.544 | 3416.025 | 2554.696 | 1328.850 | 597.915 | 265.651 | 246.646 | 595.984 | 413.568 | 356.842 | 238.104 | 1297.066 |
| 18 | 938.152 | 3401.768 | 2362.934 | 1327.134 | 570.672 | 251.956 | 230.100 | 678.323 | 357.573 | 325.809 | 238.635 | 1568.697 |
| 19 | 802.113 | 2921.616 | *** | 1287.373 | 552.202 | 240.258 | 206.871 | 972.903 | 329.735 | 301.127 | 238.418 | 1244.541 |
| 20 | 721.909 | 2588.238 | *** | 1243.165 | 543.343 | 230.458 | 192.296 | 675.805 | 310.578 | 282.151 | 239.023 | 780.209 |
| 21 | 654.648 | 2586.213 | *** | 1176.843 | 530.304 | 221.430 | 199.791 | 571.213 | 302.448 | 269.639 | 239.650 | 563.865 |

Max: 46537.441 Min: 161.421 Mean: 1159.919

3.5.8 Dashboard Tabs

Every Dashboard configured for the Data Set is displayed on a unique tab and labelled with the name of the Dashboard.

3.6 Data Mode > Chart

Data Mode's **Charts** page displays a user-selected chart, where the charts available for selection are ones that have already been created and configured in AQUARIUS WebPortal. Location Charts can be identified by the *Location* sub-heading.

Any signed in users can view and modify existing charts. Administrators can save and delete charts that are available to all users. Standard users are able to create charts only accessible to themselves.

While charts can be edited when working in the **Chart** tab on the **Data Set** page, charts can only be created when working in the main **Charts** page.

To create or edit a chart, launch the **Chart** form by clicking the appropriate button in the panel on the right-hand side of the page. (Note that the **Edit Chart** button is only visible when viewing an existing chart.)

The **Create Chart** entry form is subdivided into six tabs, each used for configuring different properties of a given chart, such as modifying the series displayed, the axes used, and several other chart settings. Each of these tabs are described below.

i NOTE When working in the Chart tab on the Data Sets page, you can view any series that currently exist in the charts, and add new ones to it.

3.6.1 Location Charts

Where regular charts have a Data Set specified for each Chart Series, a Location Chart has a Parameter specified for each Chart Series.

If a user selects a Location Chart to view, they are asked to select a location. When the location is selected, the chart loads using data sets from that location. Location Charts cannot be modified in Data Mode, they must be modified in **Admin** or **View Group Admin** mode.

Clicking **Edit Chart** with a Location Chart selected shows all current Chart Series as a regular chart. These can be modified, and then previewed or saved as a regular Chart.


3.6.2 Chart Series Tab

This tab is used to add one or more series and configure how they are displayed in the chart.

Each series added to the chart:

- Is one of the following types: **Data Set**, **Statistic**, or **Seasonal Statistic**.
- Must have a location, time-series, or parameter set in order to display on the chart.
- Is configured with a Chart Method. If the Chart Method is set to the default of Auto, the system uses one of its default chart methods, each of which are based on the interpolation type of the time-series involved.
- Is configured with an axis. The axis generally defaults to Primary, but can default to Inverted for Parameters of your choosing. For more information about this, refer to the Y Axes Tab sub-section below.

NOTE If you are creating or editing a chart with a seasonal interval and adding a series, you must specify a year to enable year-on-year comparisons.



Where more customization for a series is required, clicking the More button at the bottom right of the Series' section in the form displays fields that can be used to change the line and marker settings, change the Legend and Tooltip Types, and apply Pre-processing to the time-series data.

Legend and Tooltip Types can be set to Full, Brief, or Custom. Full displays the identifier, location, parameter, and unit of the Data Set. Brief displays only the Code. Custom displays the text entered into the Legend Text or Tooltip Text boxes.

Any pre-processing is applied to the time-series data before being displayed on a chart.


3.6.3 Y Axes Tab






The **Y Axes** tab is used to add one or more Y Axes, and configure how they're displayed in the Chart.

When plotting multiple series that have different types of data (for example, cumulative rainfall and stream heights), multiple Y axes are required to accommodate the differing parameters/units and correctly display the data.

By default, three pre-created Y axes are displayed in the tab – Primary, Secondary, and Inverted. These defaults can be modified, and additional axes can be added. Any axes created and listed in this tab are automatically available for selection in the Axis drop-down list described in the Data Set Tab section above.




Where more customization for an Axis is required, clicking the More button (at the bottom right of the Axis' section in the form) displays fields that can be used to change fonts and colors, to select whether the Axis should be Logarithmic, and to select whether the Axis should be Reversed (as is the case for the Inverted Axis).

 Edit Chart - Periodic
×

 Data Sets
I Y Axes
 X Axis
 Chart Settings
 Chart Overlays
 Save Chart

Add additional Y Axes and configure their display options from here. Y Axes can be used to help display multiple Data Sets of different Parameters/Units together.

+ Add Axis

| | | | | | | | |
|-----------------|--|-------------|----------------------|----------------------------------|------------------------------------|---|------------------------|
| Axis Name | <input type="text" value="Primary"/> | Title Text | <input type="text"/> | Position | <input type="text" value="Left"/> |  | More ▾ |
| Axis Name | <input type="text" value="Secondary"/> | Title Text | <input type="text"/> | Position | <input type="text" value="Right"/> |  | More ▾ |
| Axis Name | <input type="text" value="Inverted"/> | Title Text | <input type="text"/> | Position | <input type="text" value="Left"/> |  | |
| Label Format | <input type="text"/> | | Label Font Size | <input type="text" value="11"/> | | | |
| Title Font Size | <input type="text" value="12"/> | Axis Colour | <input type="text"/> | Grid Colour | <input type="text"/> | | |
| Logarithmic | <input type="text" value="No"/> | | Reverse | <input type="text" value="Yes"/> | | | |

[Less](#) ▲

About the Inverted Y Axis

When a series is assigned the inverted axis, its parameter is displayed upside down in the chart. This can be done manually each time you add or edit a series, or it can be set to occur automatically, so that each time a series is created for chosen parameters (e.g., groundwater), its axis defaults to Inverted. To choose which parameters should default to the inverted axis, go to **Account Settings** and modify the Setting Group *Webportal.Charts* that has the Setting Key *InvertParameters*.)

← Back to List
✕

- Account Overview
- Manage Account
- Account Settings
- Account Charts
- Change Password
- Sign Out

View Account Setting

Account Settings control various system functionalities by overriding default Settings. More information on each Setting and its options can be found in the Description field.

| | |
|---------------------------|---|
| Setting Group | WebPortal.Charts |
| Setting Key | InvertParameters |
| Setting Can Be Overridden | ✓ |
| System | ✓ |
| Description | List of Parameter Identifiers that will have their Chart Y-Axis inverted by default. List is as CSV. (Example: GroundWaterLevel, Stage) |
| Setting Value | Ground Water Level |

3.6.4 X Axis Tab

The **X Axis** tab is used to configure the display properties for the chart’s X Axis. Settings can be based on global defaults, or overridden with custom values. Available settings include:

- Label Font Size
- Title Font Size
- Axis Colour
- Grid Colour
- Title Text

Edit Chart - Periodic
✕

Data Sets
Y Axes
X Axis
Chart Settings
Chart Overlays
Save Chart

Configure properties and display options for the chart’s X Axis. Settings can be based on Global defaults, or overridden with a value of your choice.

| Setting | Default Value | Override | Override Value |
|-----------------|---------------|---|----------------|
| Label Font Size | 11 | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Title Font Size | 12 | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Axis Colour | | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Grid Colour | | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Title Text | | <input type="radio"/> Yes <input checked="" type="radio"/> No | |

3.6.5 Chart Settings Tab

The **Chart Settings** tab is used to further configure the chart's display properties. Settings can be based on global defaults, or overridden with custom values. Available settings include:

- **Stacked Columns**
- **Show Now Line**
- **Background Colour**
- **Plot Background Colour**
- **Legend Font Size**
- **Legend Vertical Position**
- **Legend Horizontal Position**
- **Title Font Colour**
- **Title Font Size**
- **Title Text**
- **Subtitle Font Colour**
- **Subtitle Font Size**
- **Subtitle Text**
- **Lock Y-Axes To Grid**

Configure properties and general display options for the chart. Settings can be based on Global defaults, or overridden with a value of your choice.

| Setting | Default Value | Override | Override Value |
|----------------------------|----------------------|---|----------------|
| Stacked Columns | No | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Show Now Line | Yes | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Background Colour | <input type="text"/> | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Plot Background Colour | <input type="text"/> | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Legend Font Size | 11 | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Legend Vertical Position | Bottom | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Legend Horizontal Position | Left | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Title Font Colour | <input type="text"/> | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Title Font Size | 18 | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Title Text | | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Subtitle Font Colour | <input type="text"/> | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Subtitle Font Size | 12 | <input type="radio"/> Yes <input checked="" type="radio"/> No | |
| Subtitle Text | | <input type="radio"/> Yes <input checked="" type="radio"/> No | |

3.6.6 Chart Layers Tab


The **Chart Layers** tab is used to configure and save which available layers should be displayed each time a chart is viewed (from the Charts tab, or in a Dashboard).

Where a saved chart includes multiple series, each series may have its own layer options to choose from.

Available Layers for a given Series may include:

- **Field Visit Data.** Available if a Field Visits time-series exists for the same location and parameter.
- **Parameter Range Values.** Labelled by the name of the Parameter Range Definition (for example, 'Flooding Levels' for a Stage location).
- **Data Set Reference Locations.** Available if a Data Set Reference Location has been associated with the time-series. (For example, 'Flood-Prone Roads' and 'Flood-Prone Locations'.)

- **Percentile Bands and Lines.** Available if a Percentile Statistic has been calculated against the Location. You can add multiple percentile layers for different reference periods and intervals in the Chart Layers tab .




3.6.7 Save Chart Tab

The **Save Chart** tab is used to save chart configurations by name, so they are easily available for later re-use and modification.

Any saved charts can be accessed from the Charts tab, as well as added to Dashboards.

In the Save Chart form, you can specify the type to control user access, and choose a default interval to default the chart display to a specific time frame (for example, Last 30 days, Current Year, or a Custom date range of any period).



3.7 Data Mode > Export

Data mode’s **Export** page contains configuration options that you can use to bulk export your data sets. You can export multiple data sets for multiple parameters from multiple locations all to a single, time-aligned file. You can also export them to separate files for each data set, depending on your preferences for a given export.

When using this page to export your data sets from WebPortal, you can specify the date range, the interval, the output file format, and what metadata to include or exclude.

When you have captured the data on the **Map** or **List** pages that you want to bulk export, select **Send to Export** from the **Page Actions** drop-down list. This takes you directly to the **Export** page, and the target data sets are automatically added to the form and ready for export.

3.7.1 Available Actions

In addition to using the form sections on this page to export your data sets, you can also:

- **Save as Template.** Any time you export data in a way that you think will be repeated, use this button to save the form settings as a template for future use. Once saved, a template can be used the next time you want to use the form—simply select the template from the drop-down menu to instantly populate the form from the template’s settings.
- **Copy Export URL to Clipboard.** Configure the export form as desired, click the **Copy** button next to the **Export URL** field, and you now have a link that can be used to begin an automatic download of the data you’ve specified on the form. In addition to being shared with others, the link can be used in conjunction with the WebPortal API.

3.7.2 Bulk Export Data Sets

Using this page to export your data involves:

1. Filling out the form sections to specify your preferences.
2. Adding the data sets to be exported.

The following table provides information about each of the form sections and their fields, including some examples for individual field names and values.

Export Data


| Field Names | Example Values | Usage and Notes |
|------------------------|-------------------------|---|
| Prefill from Template? | Template... | <p>Select an export template to instantly populate the form sections with the specifications saved in the template.</p> <p>Because export templates can be owned at different security levels, View Group and User Account modes each have a dedicated page for creating templates at those ownership levels.</p> |
| Date Range | Entire Period of Record | <p>Choose a date range from options such as <i>Custom</i>, <i>Entire Period of Record</i>, <i>Overlapping Period of Record</i>, <i>Today</i>, <i>Last 7 Days</i>, and so on.</p> <p><i>Overlapping Period of Record</i> uses the earliest start date and the latest end date that is common to all of the data sets specified in the form section that follows.</p> |
| Time Zone | UTC+10:00 | Specify the time zone and calendar you want to use. The default calendar is <i>Calendar Year</i> . |
| Calendar | BOM Water Year | |
| Interval/Points | Hourly | Specify whether you want to export <i>Points as Recorded</i> , or aggregated data for one of the interval options, such as <i>Daily</i> or <i>Monthly</i> . |
| Points Every... | 3 Hours | If you specify an interval in this field, another field displays to the right so you can specify the frequency. |
| Export Format | JSON | Choose between the file types <i>CSV</i> , <i>Excel</i> , and <i>JSON</i> . |

| Field Names | Example Values | Usage and Notes |
|---------------------|---|--|
| Single/Multi File | Single Time-Aligned File | Specify whether you want the data sets exported to separate files, or to a single time-aligned file with data aggregated to a common interval. |
| Rounding | Full Precision Or Round Data to Default Specification | Choose between exporting data with full precision, or rounding the values using the default Rounding Specification. If a Rounding Specification has not been set, the system default in Global Settings is applied. |
| Include (Metadata)? | Yes / No | Specify whether to include or exclude the types of metadata shown with your exported data sets. Fields displayed here are contextually dependent: Grade Codes, Approval Levels, Qualifiers, or Interpolation Types for example. |

Data Sets

Data Sets

The Export tab is used for bulk exporting many Data Sets as a time-aligned file with data aggregated to a common interval. For exporting a single Data Set, the Data Set > Export tab can be used.



Entire Period of Record: 2019-08-10 14:00 (UTC+08:00) - 2020-02-20 22:00 (UTC+08:00)
 Overlapping Period of Record: 2019-08-10 14:00 (UTC+08:00) - 2020-02-20 22:00 (UTC+08:00)

| Location | Data Set | Conversion Option |
|---|--|--|
| <input type="text" value="99737 - Christmas Creek"/> <small>Period of Record: 2019-08-10 14:00 - 2020-02-20 22:00 (UTC+08:00)</small> | <input type="text" value="Air Temp.Weather Observations@99737"/> | <input type="text" value="Value in Fahrenheit"/> |
| <input type="text" value="99218 - Cowley Beach (Defence)"/> <small>Period of Record: 2019-08-10 16:00 - 2020-02-21 00:00 (UTC+10:00)</small> | <input type="text" value="Air Temp.Weather Observations@99218"/> | <input type="text" value="Value in Fahrenheit"/> |

Export URL:

This URL can be copied and used to download the data directly for easier automatic exporting.

For each data set you want to export, click the **+ Add Data Set** button, then use the drop-down menus to specify the **Location** and the **Data Set ID**.

If you specified an interval to export aggregated data, the Conversion Options field will contain a list of options including Interval Calculations and Unit Conversions that may be applied to the Data Set. Otherwise, the Conversion Options field will only include Unit Conversions.


Copy Export URL to Clipboard. When the Export URL field and a **Copy to Clipboard** button are available, you can copy the URL inside the field that can be used to begin an automatic download of the data you've specified on the form. In addition to being bookmarked or shared with others, these links can also be used in conjunction with the WebPortal API.

When exporting to a single time-aligned file, the order in which your data sets are listed in the file mirrors the way they are listed in this form section. If you want to reorder the data sets before exporting, drag-and-drop using the arrows to the left of the data sets shown in the image above.

3.8 Data Mode > Alerts

When *Latest* is selected as the Interval, the **Alerts** page displays a list of any currently triggered alerts.

When *Periodic* is selected as the interval, the **Alerts** page displays a list of all alerts triggered within the specified period.




The screenshot shows the AQUARIUS WebPortal interface. The top navigation bar includes the logo, user menu (Data, Admin, Account), and help icons. The left sidebar contains navigation options: Map, List, Folder, Location, Data Set, Chart, Export, Alerts, Reports, and Dashboards. The main content area is titled 'Date: Latest Data' and displays a table of alerts.

| Name | Message | Current State | Triggered |
|---------------|--|---------------|---------------------|
| High Rainfall | [UPDATE:29168] High Rainfall (> 25 mm in Last 24 hr) reported in Victoria. Highest reported value is 27.6 mm ... | Alert | 2021-08-26 10:53:09 |
| High Rainfall | [UPDATE:29167] High Rainfall (> 25 mm in Last 24 hr) reported in Queensland. Highest reported value is 56.80... | Alert | 2021-08-26 10:01:33 |

At the bottom right of the table area, it indicates 'Items Displayed: 2' with a refresh icon.

3.9 Data Mode > Reports

Use the **Reports** page to make and run Info Requests and view custom reports published in AQUARIUS Time-Series.



Select Info Request: locrep Type Optional Arguments: 94272 Run Info Request

Location.Path All Locations.Queensland
 Location.Identifier 94272
 Location.UTCOffset 10
 Location.TypeName Meteorology Station
 Location.DisplayName Queensland/Mount Stuart (Defence) [94272]
 Location.Description
 Location.Active True
 Location.Latitude -19.4
 Location.Name Mount Stuart (Defence)
 Location.Longitude 146.8

Precip.Increm.Weather Observations@94272 - 2019-10-14 13:30:00 - 2021-08-31 23:30:00
 Air Temp.Weather Observations@94272 - 2019-08-10 16:00:00 - 2021-08-31 23:30:00
 Atmos.Pres.Weather Observations@94272 - No data

Downloadable Reports

- Kalumburu 40 degree days
- Manning River above 100 cumecs
- Manning River yearly maximums

AQUARIUS WebPortal v2021.2.130
 © 2021 Aquatic Informatics

3.9.1 Info Requests

Info Requests are text-based reports that are generated on-demand. They can be accessed through AQUARIUS WebPortal, but are also available via email request and text message (SMS) request for remote access. Any available Info Request can be selected from the drop-down list at the top of the page.

Where an Info Request requires additional arguments to run, an additional text-box field for entering those arguments displays. Clicking the **Run Info Request** button runs the request (and any additional arguments) and returns a text-based output in the main window.

3.9.2 Reports

The Info Panel for the **Reports** page displays a tree hierarchy of available reports that can you can click to download. Downloaded Reports may be PDF files.

3.10 Data Mode > Dashboards

Dashboards are used to display a series of widgets, allowing a quick overview of data in AQUARIUS WebPortal.

Dashboards are created and configured by an administrator, and appear as a list under the **Dashboards** tab.

Dashboards are subject to one of three user-based viewing permissions defined by an administrator, where:

- **Global.** Gives access to all users.
- **View Group.** Gives access to individuals assigned to a view group.
- **User.** Gives access to only to a specified individual.

Where only one Dashboard exists, the **Dashboards** page is replaced by a tab with the same name as that Dashboard.

When no Dashboards are defined, this page does not appear in the Page List.

Dashboard widgets that can be used include Free Text, Charts, Grids, Info Requests and Webcams. Widgets can also display external content, including websites, YouTube videos, and Twitter Timelines.

Some widgets have drop-down menus or text fields, allowing the user to enter data. Examples of user data include plain text, selecting a Data Set, a Location, a Chart, or a Script.



4 Account Mode

Account mode allows registered Users to view, configure, and manage numerous items and settings specific to their account. To learn more about the tasks you can perform in Account Mode, see:

- [Account Overview](#)
- [Manage Account](#)
- [Account Settings](#)
- [Account Charts](#)
- [Account Dashboards](#)
- [Account Widgets](#)
- [Account Export Templates](#)
- [Change Password](#)




NOTE The pages, data, and actions available to you depend on the privileges specified for your [User Account](#), [View Group](#), or [Admin Security Role](#).

4.1 Account Mode > Account Overview

The **Account Overview** page displays Account-related information, including:

- Your Security Role
- Your View Group
- Your linked External Sign In Accounts
- Your Distribution Groups
- Your Alerts

- Links to manage your account and change your password



4.1.1 Additional Actions

In addition to viewing your Account information, you can also use the **Page Actions** menu to:

- Get the page's **Permalink**.
- Load **Help** documents.

4.2 Account Mode > Manage Account

The **Manage Account** page contains three entry form sections that a signed-in user can use to view and edit account-related information and options, including:

- Personal details
- External Sign In options
- Alert Notification preferences and contact information

4.2.1 Additional Actions

In addition to managing your account, you can also use the **Page Actions** menu to:

- Get the page's Permalink.
- Load Help documents.

4.2.2 Link an External Account

If an administrator has configured Sign In access to any external accounts, one or more Link Account buttons should appear in the User Account form section on this page.

To use your Google or Microsoft account to sign in to WebPortal, click the applicable button and follow the workflow to enter your account details.

You can also remove a linked external account at any time.

i NOTE The first time you sign in using an external account, you are required to accept an agreement that information will be shared with your WebPortal system. This is just related to your email address or username, which are used to link accounts. *AQUARIUS WebPortal does not retrieve any additional information from your external accounts.*

4.3 Account Mode > Account Settings

The grid on the **Account Settings** page lists uncollected settings for various parts of the system.

Settings displayed include user account-specific settings, view group and global settings.

- Global settings only appear if allowed by your user privileges and they have not already been overridden by a user account or view group setting.
- View group settings only appear if allowed by your user privileges, you are assigned to a view group, and they have not already been overridden by an Account Setting.

! IMPORTANT Account Settings follow the same rules as Global and View Group Settings -- their data are not validated by the system in any way, and their Setting Group and Setting Key cannot be modified once created. For this reason, we recommend caution when making changes to any values for these types of Settings.

4.3.1 Available Actions

If you have full privileges for this page, you can.

- Create new Account Mode > Account Settings.
- View, edit, or delete Account Mode > Account Settings.
- Clone Account Mode > Account Settings.
- Use the Page Actions menu to.
 - Load **Help** documents.
 - Export all items that the page's current grid settings return.
 - Change the grid's sort and filter settings.
 - Refresh the page.

You can also override or remove the override from an existing view group or global setting.

4.4 Account Mode > Account Charts

The **Account Charts** page lists any existing charts owned by the user or by a view group to which they belong, as well as globally-owned charts. Charts listed on this page that are not owned by the user can only be viewed or cloned; they cannot be modified.

4.4.1 Available Actions

If you have full privileges for this page, you can:

- Create new Account Mode > Account Charts.
- View, edit, or delete Account Mode > Account Charts.
- Clone Account Mode > Account Charts.
- Preview one of your existing Account Mode > Account Charts.
- Use the Page Actions menu to:
 - Get the page's **Permalink**.
 - Load **Help** documents.
 - Export all items returned by the page's current grid settings.

- Change the grid's sort and filter settings.
- Refresh the page.

4.5 Account Mode > Account Dashboards

The **Account Dashboards** page lists any existing dashboards owned by the user or by a view group to which they belong, as well as globally-owned dashboards. Dashboards listed on this page that are not owned by the user can only be viewed or cloned, they cannot be modified.

Each Dashboard listed in the grid on the **Account Dashboards** page represents a fully customizable page that is either configured – or ready to be configured – to display one or more of your widgets according to your specifications.

Account dashboards and their [Widgets](#) provide quick access to frequently-viewed information.

4.5.1 Available Actions

If you have full privileges for this page, you can.

- Create new Account Mode > Account Dashboards.
- View, edit, or delete Account Mode > Account Dashboards.
- Clone Account Mode > Account Dashboards.
- Use the Page Actions menu to.
 - Load **Help** documents.
 - Export all items that the page's current grid settings return.
 - Change the grid's sort and filter settings.
 - Refresh the page.

You can also view an account dashboard that does not belong to your user account.

4.5.2 Create an Account Dashboard

Before you can configure an Account Dashboard's contents and appearance, you must first create it.



HINT If there is an existing Account Dashboard you want to use as the basis for a new one, simply clone it, then rename and edit the clone.

1. Go to **Account > Account Dashboards**.
2. Click the **Create** button.
3. Complete the form sections.

! **IMPORTANT** To save any changes you make in an entry form, you must select one of the options in the Save drop-down button before leaving the page.

The following table provides information about the form section and its fields, including some examples for individual field names and values.

Create Dashboard

| Field Names | Example Values | Usage and Notes |
|-------------------------|-----------------------------|--|
| Name | Gauges | Dashboard name must be unique. |
| Owner Type | User | This field is pre-populated with the <i>User</i> owner type. |
| Single Widget Dashboard | Yes, No | Allows a Dashboard to be optimized to display a single Widget taking up all space available. When set to <i>Yes</i> a "Widget" drop-down list will be shown to select the Widget. No other configuration is required or possible for these types of Dashboards. |
| Active | Yes | Options: <i>Yes, No</i> . Dashboards can be switched between active and inactive. While you can create any number of Dashboards, the number that can be Active at the same time depends on your licence. The default licence allows for two concurrently active Dashboards. |
| Show Dashboard On | Select Show Dashboard On... | This field controls where the dashboard displays. Options include: <i>Left Side Menu, Location Tab, and Data Set Tab</i> . Your selection determines the dashboard's configuration options displayed below. If you select <i>Left Side Menu</i> , no additional configuration options display. |

| Field Names | Example Values | Usage and Notes |
|-----------------------------|----------------------------|---|
| Show Dashboard On | Location Tab | If you configure the dashboard to appear on <i>Location Tab</i> , you can also specify the locations or location types for which the dashboard displays as well as the widgets to display on the dashboard. |
| Show Dashboard Location Tab | | <p>Displays when you set Show Dashboard On to <i>Location Tab</i>. You can show the dashboard for <i>All Locations</i>, <i>Locations by Location Type</i>, or <i>Selected Locations</i>.</p> <p>You can use the <i>All Locations</i> and <i>Locations by Location Type</i> options to template a dashboard and <i>Selected Locations</i> to create a dashboard customized to individual locations.</p> |
| | All Locations | The dashboard displays on the Location tab for all locations. |
| | Locations by Location Type | <p>The dashboard displays for all locations belonging to the specified location type.</p> <p>Enter a location type in Location Types. A matching list displays as you type — make your selection from this list, then click + Add Location Type. Repeat this procedure to select another location type.</p> |
| | Selected Locations | <p>The dashboard displays for the specified locations only.</p> <p>Enter a location in Locations. A matching list displays as you type — make your selection from this list, then click + Add Location. Repeat this procedure to select another location.</p> |
| Override Widget Variables | Fixed and User Selected | <p>This field assists you in templating the dashboard.</p> <ul style="list-style-type: none"> — Select <i>Fixed and User Selected</i> to template a generic dashboard. — Select <i>Fixed Only</i> or <i>User Selected Only</i> to create a dashboard for one or more locations with elements from other related locations. |

| Field Names | Example Values | Usage and Notes |
|-------------------|----------------|---|
| Show Dashboard On | Data Set Tab | If the dashboard is configured to appear on the <i>Data Set Tab</i> , you can select the parameter or data set for which the dashboard displays as well as the widgets to display on the dashboard. |

| Field Names | Example Values | Usage and Notes |
|-------------------------------|------------------------|---|
| Show Dashboard Dataset Tab | | <p>Displays when you set Show Dashboard On to <i>Data Set Tab</i>. You can show the dashboard for <i>All Data Sets</i>, for data sets that use the parameter specified in <i>Data Sets by Parameter</i>, or <i>Selected Data Sets</i>.</p> <p>You can use the <i>All Data Sets</i> and <i>Data Sets by Parameter</i> options to template a dashboard and <i>Selected Data Sets</i> to create a dashboard customized to individual data sets.</p> |
| | All Data Sets | The dashboard displays on the Data Set tab for all data sets. |
| | Data Sets by Parameter | <p>The dashboard displays for all data sets that use the specified parameter.</p> <p>Enter a parameter in Parameter. A matching list of parameters displays as you type — make your selection from this list.</p> |
| | Selected Data Sets | <p>The dashboard displays for selected data sets only.</p> <ul style="list-style-type: none"> — Enter a location in Search for a Location. A matching list of locations displays as you type — make your selection from this list. — Enter a data set in Search for a Data Set. A matching list of data sets displays as you type — make your selection from this list. — Click + Add Data Set. — To select another data set, repeat this procedure. |
| Override Widget Variables | User Selected Only | <p>This field assists you in templating the dashboard.</p> <ul style="list-style-type: none"> — Select <i>Fixed and User Selected</i> to template a generic dashboard. — Select <i>Fixed Only</i> or <i>User Selected Only</i> to create a dashboard for one or more data sets with elements from other related data sets. |

4.5.3 Configure an Existing Account Dashboard

Once an Account Dashboard has been created, configure its contents and appearance as follows:

1. Go to **Account > Account Dashboards**.
2. In the grid, locate your target Account Dashboard.
3. Click its **Row Actions** button, then select **Configure** from the drop-down menu.

The Configure page for each Account Dashboard contains a blank canvas and a set of controls for:


- Adding regular widgets.
- Adding embedded widgets (if any exist).
- Creating and adding new embedded widgets.

Embedded widgets are created on the Configure Dashboard page, whereas regular widgets are those created on the Create Widget page.

Embedded widgets are available only to their single, associated dashboard.

Widgets can be:

- **Moved.** Click-and-drag anywhere in the widget when the hand icon is visible.
- **Resized.** Click-and-drag the bottom-right corner once the arrow icon is visible.
- **Deleted.** Click the Delete icon.
- **Refreshed.** Click the Refresh icon to update the widget's data.

 **IMPORTANT** To save any changes you make in an entry form, you must select one of the options in the Save drop-down button before leaving the page.

4.6 Account Mode > Account Widgets

The **Account Widgets** page lists any existing widgets owned by the user or by a view group to which they belong, as well as globally-owned widgets. Widgets listed on this page that are not owned by the user can only be viewed or cloned, they cannot be modified.

Each one listed in the grid on the **Account Widgets** page represents a fully customizable, mini-application that currently exists in your system, and can be placed on one or more of your Dashboards.

Account [Dashboards](#) and their widgets provide quick access to frequently-viewed information.

4.6.1 Available Actions

If you have full privileges for this page, you can.

- Create new Account Mode > Account Widgets.
- View, edit, or delete Account Mode > Account Widgets.
- Clone Account Mode > Account Widgets.

- Use the Page Actions menu to.
 - Load **Help** documents.
 - Export all items that the page’s current grid settings return.
 - Change the grid’s sort and filter settings.
 - Refresh the page.

You can also view an account widget that does not belong to your user account.

4.6.2 Create an Account Widget

Each account widget you create must be based on an existing widget template. AQUARIUS WebPortal offers several system-defined widgets; additional widgets can be created by administrative users, or users with View Group Administration privileges.

HINT If there is an existing account widget you want to use as the basis for a new one, simply clone it, then rename and edit the clone.

1. Go to **Account > Account Widgets**.
2. Click **Create**.
3. Complete the form sections.

IMPORTANT To save any changes you make in an entry form, you must select one of the options in the Save drop-down button before leaving the page.

The following tables provide information about each of the form sections and their fields, including some examples for individual field names and values.

| Field Names | Example Values | Usage and Notes |
|-------------|-----------------------------|-----------------------------------|
| Name | Video - AI Water Data Mgmt. | The widget's name must be unique. |

| Field Names | Example Values | Usage and Notes |
|-----------------|----------------|---|
| Owner Type | User | This field is pre-populated with the <i>User</i> owner type. |
| Widget Template | YouTube Video | Select from the available widgets. Once you choose a template, two additional form sections may appear on the page: Instructions and Input Variables. |

Instructions

| Field Names | Example Values | Usage and Notes |
|-------------|--|--|
| (N/A) | <p>The YouTube Video Widget Template allows you to embed a YouTube video onto a Dashboard.</p> <p>For the 'VideoID' set this to the unique code that identifies the YouTube Video.</p> <p>There are several ways to find this code, from the URL https://www.youtube.com/watch?v=8cwiniJh_dQ the code is highlighted. Under the video YouTube also includes a Share option which uses a shorter URL https://youtu.be/8cwiniJh_dQ the VideoID can be found at the end of this Share URL.</p> <p>As an example use “8cwiniJh_dQ” as the VideoID Input Variable. This will display the “Water Data Management – Faster Analysis. Better Decisions.” video from the Aquatic Informatics Inc. YouTube channel.</p> | <p>After selecting a widget template, this section displays, allowing you to read the instructions specified in the widget template.</p> |

Input Variables

| Field Names | Example Values | Usage and Notes |
|-------------|----------------|--|
| Video ID | Fixed | After selecting a widget template, this section displays, allowing you to enter the required input variables specified in the widget template. |
| Value | 8cwiniJh_dQ | <p>Most widget templates generate fields in this section that allow you to specify whether the variable value should remain fixed, or should be set to a default value that can be edited when viewing the widget on a dashboard.</p> <p>Some widget templates -- those that specify <i>Content In Widget = True</i> -- generate a single text field in this section for entering the content.</p> |

Advanced

| Field Names | Example Values | Usage and Notes |
|---------------------------|----------------|---|
| Show Header | No | The fields in this section allow you to specify whether the widget should display a header and footer, and what the contents of each should be. |
| Show Footer | No | The Static and Update Interval fields are related as follows: |
| Static | Yes | <p>- If Static is set to <i>No</i>, then when viewing this widget on a dashboard, its data are refreshed at the rate specified in the Update Interval field.</p> <p>- If Static is set to <i>Yes</i>, then the widget's data is only loaded once, at the time you load the dashboard.</p> |
| Update Interval (minutes) | | Note that if the widget template selected above specifies <i>Static = Yes</i> , these fields are grayed-out and cannot be edited at the widget level. |

4.7 Account Mode > Account Export Templates

The **Account Export Templates** page lists any existing templates owned by the user or by a view group to which they belong, as well as globally-owned templates. Templates listed on this page that are not owned by the user can only be viewed or cloned, they cannot be modified.

4.7.1 Available Actions

If you have full privileges for this page, you can:

- Create new Account Mode > Account Export Templates.
- View, edit, or delete Account Mode > Account Export Templates.
- Clone Account Mode > Account Export Templates.
- Preview one of your existing Account Mode > Account Export Templates.
- Use the Page Actions menu to:
 - Get the page's **Permalink**.
 - Load **Help** documents.
 - Export all items returned by the page's current grid settings.
 - Change the grid's sort and filter settings.
 - Refresh the page.

You can also save Export templates any time you are exporting data using the [Export](#) page. Simply click the Save as Template button whenever the form is configured the way you want it.

4.8 Account Mode > Change Password

The **Change Password** page is the same one that is displayed when a temporary password is entered. As long as you know your account's current password, you can change it using the entry form on this page.

